Author Index

Assi, F., see Gastaldo, L., 13

Babu, G.R.V., see Chapatwala, K.D., 69
Baracat-Pereira, M.C., Dantas Vanetti, M.C., Fernandes de Araujo, E., Silva, D.O.
Partial characterization of *Aspergillus fumigatus* polygalacturonases for the degumming of natural fibers, 139
Beall, D.S., Ingram, L.O.
Genetic engineering of soft-rot bacteria for ethanol production from lignocellulose, 151
Bergan, J., see Katz, L., 89
Bergmann, D., see Miller, S.R., 223
Beutler, J., see Lam, K.S., 7
Bhupathiraju, V.K., see McInerney, M.J., 53
Bhupathy, M., see Katz, L., 89
Bianchini, M., see Heitkamp, M.A., 243
Bogosian, G., Morris, P.J.L., Weber, D.B., Kane, J.F.
Potential for gene transfer from recombinant *Escherichia coli* K-12 used in bovine somatotropin production to indigenous bacteria in river water, 235
Bogosian, G., see Heitkamp, M.A., 243
Bokang, H., see Boopathy, R., 147
Boopathy, R., Bokang, H., Daniels, L.
Biotransformation of furfural and 5-hydroxymethyl furfural by enteric bacteria, 147
Bories, A., see Claret, C., 105
Brooks, J.D., see Gutierrez, N.A., 143

Cavallero, B., see Gastaldo, L., 13
Chapatwala, K.D., Babu, G.R.V, Wolfram, J.H.
Screening of encapsulated microbial cells for the degradation of inorganic cyanides, 69
Chartrain, M., see Katz, L., 89
Chen, S., see Smith, R.W., 63
Ciabatti, R., see Gastaldo, L., 13
Claret, C., Bories, A., Soucaille, P.
Inhibitory effect of dihydroxyacetone on *Gluconobacter oxydans*: Kinetic aspects and expression by mathematical equations, 105
Collins, B.S., see Fogarty, W.M., 199
Compton, B.J., see Lam, K.S., 7
Coughlan, M.P., see Filho, E.X.F., 171
Counter, F.T., see Muth, W.L., 253

Dabrah, T.T., see Lam, K.S., 7
D'Amore, T., see Odumeru, J.A., 113
Daniels, L., see Boopathy, R., 147
Dantas Vanetti, M.C., see Baracat-Pereira, M.C., 139
Delfini, C., Pessione, E., Moruno, E.G., Giunta, C.
Localization of volatile acidity reducing factors in grape, 19
Demirci, A., Pometto III, A.L.
Enhanced production of D(−)-lactic acid by mutants of *Lactobacillus delbrueckii* ATCC 9649, 23
Denaro, M., see Gastaldo, L., 13
Doyle, E.M., see Fogarty, W.M., 199

Ebisu, S., Mori, M., Takagi, H., Kadowaki, K., Yamagata, H., Tsukagoshi, N., Udaka, S.
Production of a fungal protein, Taka-amylase A, by protein-producing *Bacillus brevis* HPD31, 83

Fernandes de Araujo, E., see Baracat-Pereira, M.C., 139
Filho, E.X.F., Puls, J., Coughlan, M.P.
Biochemical characteristics of two endo-β-1,4-xylanases produced by *Penicillium capsulatum*, 171
Fisher, L.F., see Muth, W.L., 253
Fleming, D.O., see Van Houten, J., 209
Fogarty, W.M., Collins, B.S., Doyle, E.M., Kelly, C.T.
The high maltose-forming α-amylase of *Saccharomonospora viridis*: mechanisms of action, 199
Forenza, S., see Lam, K.S., 7
Freedman, D., see Mao, W., 1
French, C.E., see Gutierrez, N.A., 143

Galzy, P., see Vivier, D., 157
Gastaldo, L., Ciabatti, R., Assi, F., Restelli, E., Kettenring, J.K., Zerilli, L.F., Romanò, G., Denaro, M., Cavallero, B.
Isolation, structure determination and biological activity of A-16686 factors A′1, A′2 and A′3 glycolipodepsipeptide antibiotics, 13
Giacobbe, R.A., see Tkacz, J.S., 95
Giunta, C., see Delfini, C., 19
Greasham, R., see Katz, L., 89
Grinberg, N., see Katz, L., 89
Gulley, S.L., see Van Dyke, M.I., 163
Gustavson, D.R., see Lam, K.S., 7
Gutierrez, N.A., McKay, I.A., French, C.E., Brooks, J.D., Maddox I.S.
Repression of galactose utilization by glucose in the citrate-producing yeast *Candida guilliermondii*, 143

Hale, M.D., see Heitkamp, M.A., 243
Hari, R.P.K., Patel, T., Martin, A.
A new strain of *Rhodotorula rubra* isolated from yogurt, 43
Heitkamp, M.A., Kane, J.F., Morris, P.J.L., Bianchini, M., Hale, M.D., Bogosian, G.
Fate in sewage of a recombinant *Escherichia coli* K-12 strain used in the commercial production of bovine somatotropin, 243
Holmalahti, J., Raatikainen, O., von Wright, A.
Transformable mutants of a biopesticide strain *Streptomyces griseoviridis* K61, 193
Hou, C.T.
Screening of microbial esterases for asymmetric hydrolysis of 2-ethylhexyl butyrate, 73

Ingram, L.O., see Beall, D.S., 151

Jones, R.A., Matheson, J.C.
Relationship between safety data and biocontainment design in the environmental assessment of fermentation organisms – An FDA perspective, 217

Kadowaki, K., see Ebisu, S., 83
Kane, J.F.
Environmental assessment of recombinant DNA fermentations, 205
Kane, J.F., see Bogosian, G., 235
Kane, J.F., see Heitkamp, M.A., 243
Katz, L., Marcin, C., Zitano, L., King, J., Price, K., Grinberg, N., Bhupathy, M., McNamara, J., Bergan, J., Greasham, R., Chartrain, M.
Screening and selection of a microbial lipase for the stereospecific hydrolysis of Verlukast, 89
Kelly, C.T., see Fogarty, W.M., 199
Kettenring, J.K., see Gastaldo, L., 13
Kimball, D.L., see Lam, K.S., 7
King, J., see Katz, L., 89
Kotarski, S.F., see Yancey, Jr., R.J., 259

Lam, K.S., Titus, J.A., Dabrah, T.T., Kimball, D.L., Veitch, J.M., Gustavson, D.R., Compton, B.J., Matson, J.A., Forenza, S., Ross, J., Miller, D., Roach, J., Beutler, J.
Improved processes for the production and isolation of dynemicin A and large-scale fermentation in a 10000-liter fermentor, 7
Lauten, S.D., see Worley, B.S., 37
Lee, H., see Van Dyke, M.I., 163
Lepley, R.A., see Yancey, Jr., R.J., 259

Maddox, I.S., see Gutierrez, N.A., 143
Mahmoudian, M., Michael, A.
Production of chiral epoxides by an ethene-utilising *Micrococcus* sp., 29
Mao, W., Pan, R., Freedman, D.
High production of alkaline protease by *Bacillus licheniformis* in a fed-batch fermentation using a synthetic medium, 1
Marcin, C., see Katz, L., 89
Martin, A., see Hari, R.P.K., 43
Matheson, J.C., see Jones, R.A., 217
Matson, J.A., see Lam, K.S., 7
Mattila-Sandholm, T., see Raaska, L., 181
McInerney, M.J., Bhupathiraju, V.K., Sublette, K.L.
Evaluation of a microbial method to reduce hydrogen sulfide levels in a porous rock biofilm, 53
McKay, I.A., see Gutierrez, N.A., 143
McNamara, J., see Katz, L., 89
Michael, A., see Mahmoudian, M., 29
Miller, D., see Lam, K.S., 7
Miller, S.R., Bergmann, D.
Biocontainment design considerations for biopharmaceutical facilities, 223
Misra, M., see Smith, R.W., 63
Monaghan, R.L., see Tkacz, J.S., 95
Mora, E.C., see Worley, B.S., 37
Mori, M., see Ebisu, S., 83
Morris, P.J.L., see Bogosian, G., 235
Morris, P.J.L., see Heitkamp, M.A., 243
Moruno, E.G., see Delfini, C., 19
Mott, J.E., see Yancey, Jr., R.J., 259
Moulin, G., see Vivier, D., 157
Muth, W.L., Counter, F.T., Richardson, K.K., Fisher, L.F.
Escherichia coli K12 does not colonize the gastrointestinal tract of Fischer-344 rats, 253

Nakas, J.P., see Royer, J.C., 59
Nakatsukasa, W.M., see Strobel, Jr., R.J., 121
Novak, J.S., see Royer, J.C., 59

Odumeru, J.A., D'Amore, T., Russell, I., Stewart, G.G.
Alterations in fatty acid composition and trehalose concentration of *Saccharomyces* brewing strains in response to heat and ethanol shock, 113

Pan, R., see Mao, W., 1
Patel, T., see Hari, R.P.K., 43
Pessione, E., see Delfini, C., 19
Pollock, T.J., Yamazaki, M.
Clarification of microbial polysaccharides with enzymes secreted from *Lysobacter* species, 187
Pometto III, A.L., see Demirci, A., 23
Price, K., see Katz, L., 89
Puls, J., see Filho, E.X.F., 171

Raaska, L., Viikari, L., Mattila-Sandholm, T.
Detection of siderophores in growing cultures of *Pseudomonas* spp., 181
Raatikainen, O., see Holmalahti, J., 193
Ratomahenina, R., see Vivier, D., 157
Restelli, E., see Gastaldo, L., 13
Richardson, K.K., see Muth, W.L., 253
Roach, J., see Lam, K.S., 7
Romanò, G., see Gastaldo, L., 13
Rosenberg, E.
Microbial diversity as a source of useful biopolymers, 131
Ross, J., see Lam, K.S., 7
Royer, J.C., Novak, J.S., Nakas, J.P.
Apparent cellulase activity of purified xylanase is due to contamination of assay substrate with xylan, 59
Russell, I., see Odumeru, J.A., 113

Silva, D.O., see Baracat-Pereira, M.C., 139
Smith, R.W., Misra, M., Chen, S.
Adsorption of a hydrophobic bacterium onto hematite: implications in the froth flotation of the mineral, 63
Soucaille, P., see Claret, C., 105
Stewart, G.G., see Odumeru, J.A., 113
Strobel, Jr., R.J., Nakatsukasa, W.M.
Response surface methods for optimizing *Saccharopolyspora spinosa*, a novel macrolide producer, 121
Sublette, K.L., see McInerney, M.J., 53

Takagi, H., see Ebisu, S., 83
Thurn, K.K., see Yancey, Jr., R.J., 259

Titus, J.A., see Lam, K.S., 7
Tkacz, J.S., Giacobbe, R.A., Monaghan, R.L.
Improvement in the titer of echinocandin-type antibiotics: a magnesium-limited medium supporting the biphasic production of pneumocandins A_0 and B_0, 95
Trevors, J.T., see Van Dyke, M.I., 163
Tsukagoshi, N., see Ebisu, S., 83

Udaka, S., see Ebisu, S., 83

Van Dyke, M.I., Gulley, S.L., Lee, H., Trevors, J.T.
Evaluation of microbial surfactants for recovery of hydrophobic pollutants from soil, 163
Van Houten, J., Fleming, D.O.
Comparative analysis of current US and EC biosafety regulations and their impact on the industry, 209
Veitch, J.M., see Lam, K.S., 7
Viikari, L., see Raaska, L., 181
Vivier, D., Ratomahenina, R., Moulin, G., Galzy, P.
Study of physicochemical factors limiting the growth of *Kluyveromyces marxianus*, 157
von Wright, A., see Holmalahti, J., 193

Weber, D.B., see Bogosian, G., 235
Wheatley, W.B., see Worley, B.S., 37
Williams, D.E., see Worley, B.S., 37
Wolfram, J.H., see Chapatwala, K.D., 69
Worley, B.S., Wheatley, W.B., Lauten, S.D., Williams, D.E., Mora, E.C. and Worley, S.D.
Inactivation of *Salmonella enteritidis* on shell eggs by novel *N*-halamine biocidal compounds, 37
Worley, S.D., see Worley, B.S., 37

Yamagata, H., see Ebisu, S., 83
Yamazaki, M., see Pollock, T.J., 187
Yancey, Jr., R.J., Kotarski, S.F., Thurn, K.K., Lepley, R.A., Mott, J.E.
Absence of persistence and transfer of genetic material by recombinant *Escherichia coli* in conventional, antibiotic-treated mice, 259

Zerilli, L.F., see Gastaldo, L., 13
Zitano, L., see Katz, L., 89

Subject Index

Acetic acid, 19
Acinetobacter calcoaceticus, 163
Actinoplanes sp. (ATCC 33076), 13
A. fumigatus, 139
Alkene monooxygenase, 29
α-Amylase, 199
Anaerobic digestion, 147
Antibacterial agent, 13
Antibiotic, 95
Antitumor antibiotic, 7

Bacillus licheniformis, 1
Bacterium, 23
Bald mutants, 193
Biobead, 69
Biocatalysis, 89
Biocontainment, 223
Bioconversion, 13, 89
Biodegradation, 69
Bioemulsifier, 163
Biological inactivation, 223
Biopesticides, 193
Biopharmaceutical design, 223
Biosafety, 223
Biosurfactant, 163
Biotransformation, 29, 147
Bovine somatotropin, 243, 259

Candida guilliermondii, 143
CAS-assay, 181
Catabolite repression, 143
Cellulase, 151
Cellulose, 151
Chiral epoxides, 29
Chlorine, 37
Citric acid production, 143
Clarification, 19, 187
Colonization, 253

Degumming, 139
Denitrification, 53
Desulfurization, 53
DHA, 105
Dihydroxyacetone, 105
Dynemicin A, 7

Enantiomeric resolution, 29
Environmental assessment, 259
Environmental, 253
Erwinia, 151
Escherichia coli, 235, 253
Esterase, 73
Ethanol, 151
Ethanol shock, 113
Ethylhexyl butyrate, 73
Exopolysaccharide, 187

Fatty acid, 113
Fed-batch fermentation, 1
Fermentation development, 121
Fermentation, 23, 95, 113
Flotation collector, 63
Fungal metabolism, 95
Furans, 147
Furfural, 147
Furfuryl alcohol, 147
Furoic acid, 147

Galactose, 143
Gastrointestinal, 253
Genetically engineered microorganism, 243
Gene transfer, 235, 259
Gluconobacter oxydans, 105
Glucose, 143
Glycerol conversion, 105
Grape musts, 19
Growth rate, 157

N-Halamines, 37
Heat shock, 113
Hematite flotation, 63
HPLC, 43
Hydrocarbon, 163
Hydrolysis product, 171
Hydrolytic stereospecificity, 73
Hydrophobic, 163
5-Hydroxy methyl furfural, 147

Immobilized cell, 69
Indigenous bacteria, 235
Inhibition, 105
Iron-binding, 181

Kinetic, 105
Kluyveromyces, 157

Lactic acid, 23
Lactobacillus delbrueckii, 23
Leukotriene receptor antagonist, 89
Lignocellulose, 151
Lipase, 89
Lipopeptide, 95

Lysis, 187
Lysobacter, 187

Macrolide, 121
Magnesium, 95
Mannitol, 95
Mechanisms of action, 199
Micrococcus sp., 29
Micromonospora chersina, 7
Mutagenesis, 23, 193
Mycobacterium phlei, 63

Natural gas, 53

Partitioning, 163
Pectin, 139
Penicillium capsulatum, 171
Persistence, 259
Petroleum, 53
pH, 157
Pigment characterization, 43
pMK300, 83
Pneumocandin, 95
Polygalacturonases, 139
Protease, 1
Protein producing *B. brevis*, 83
Pseudomonas, 181
Pseudomonas aeruginosa, 89, 163
Pseudomonas putida, 69

Ramie, 139
Ramoplanin, 13
Recovery, 163
Remediation, 163
Response surface, 121
Rhodotorula rubra sp. TP1, 43
River water, 235

Saccharomyces, 113
Saccharopolyspora, 121
Salmonella enteritidis, 37
Screening, 89
Secondary metabolism, 193
Secretion vector, 83
Sewage, 243
Shell eggs, 37
Siderophore, 181
Sodium cyanide, 69
Soil, 163
Souring, 53
Streptomyces griseoviridis, 193
Sulfate reduction, 53
Survival, 243, 253
Synthetic medium, 1

Taka-amylase A production, 83
Temperature, 157
Textile fibers, 139
Thermophilic, 199
TLC, 43
Transformation, 193
Trehalose, 113

Verlukast, 89

Water activity, 157
Wine yeasts, 19
Wort, 113

Xanthan, 187
Xylanases, 171
Xylan, 171
Xylase, 151

Zalerion arboricola, 95